NOTES

- 1. EXCAVATE TRENCHES TO PROPER DEPTH AS REQUIRED BY STATE AND LOCAL CODES.
- Ņ SMOOTH IRREGULARITIES IN THE EXCAVATION A LEVEL, FLAT SURFACE IS REQUIRED.
- UNIVERSAL ENDPLATES TOGETHER IN TRENCH(ES).

ယ

ASSEMBLE ARC LEACHING CHAMBERS AND

- 4 INSTALL UNIVERSAL END CAP AND SECURE IN PLACE WITH BACKFILL.
- 5 PUNCH OUT PIPE HOLE OPENINGS IN THE END PLATES AS NEEDED AND CONNECT INLET PIPES
- 0 FILL SIDEWALL AREA TO TOP CHAMBERS WITH SHALL BE INCLUDED). ALSO BE USED: NO HEAVY CLAY, SILT, OR DEBRIS NATIVE SOIL (COARSE SAND OR FINE GRAVEL MAY
- 7. "WALK IN" FILL TO COMPACT SOIL ALONG SIDES OF ARC CHAMBER. THIS IS VERY IMPORTANT TO ACHIEVE LOAD RATING.
- ∞ COVER ARC LEACHING CHAMBERS TO A MINIMUM OF 12" FILL HEIGHTS. POOR SOILS ARE ENCOUNTERED AND FOR MAXIMUM COMPACTION REQUIREMENTS. CONTACT ADS WHEN LIMITS ARE IMPACTED BY BOTH SOIL TYPE AND COVER MATERIAL. COVER HEIGHTS AND LIVE LOADING APPLICATIONS. AVOID LARGE ROCKS OR DEBRIS IN OF GRANULAR COVER AFTER CONSOLIDATION FOR H-10

* WIDTH INCLUDES 2" OF SIDE WALL DISTANCE

ARC 36HC CHAMBER
STANDARD AT GRADE INSTALLATION REV. DESCRIPTION ZAKKKKKK ВΥ MM/DD/YY CHK'D 09/19/07 TJR

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE MATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE MATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE MATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT. DRAWING NUMBER

© 2007 ADS, INC.

4640 TRUEMAN BLVD HILLIARD, OHIO 43026

STD-908C

STN